

SUB  
A2

1. A computer mouse comprising:  
a motion sensor; and  
a collapsible housing for the motion sensor.
2. The mouse of claim 1, wherein the housing is collapsible into a relatively flat structure.
3. The mouse of claim 1, wherein the motion sensor includes an optical sensor.
4. The mouse of claim 1, wherein the collapsible housing includes a base and an upper portion attached to the base, the base being rigid, the upper portion being made of a collapsible material.
5. The mouse of claim 4, wherein the collapsible material is an elastic material.
6. The mouse of claim 1, wherein the collapsible housing includes a resilient sheet plastic having fold lines that allow the housing to collapse into a relatively flat structure.
7. The mouse of claim 6, wherein the resilient plastic sheet includes a top portion, a base and inwardly-collapsible sidewalls between the top portion and the base, the sidewalls having the fold lines.
8. The mouse of claim 1, wherein the mouse is sized to fit within a type I PCMCIA slot when the housing is fully collapsed.

9. The mouse of claim 1, further comprising a retractable cable assembly within the housing.
10. The mouse of claim 1, further comprising a transmitter within the housing.
11. The mouse of claim 1, further comprising a PCMCIA connector mounted to the housing.
- A<sup>2</sup>
12. The mouse of claim 1, wherein the housing has a deflectable mouse button area; and wherein the mouse further comprises at least one sensor for detecting when the area is deflected; whereby deflecting the area corresponds to clicking a mouse button.
13. The mouse of claim 1, further comprising a sensor within the housing, the sensor detecting housing volume changes that correspond to mouse clicks.
14. The mouse of claim 1, further comprising a bendable strip cantilevered from the housing; and a sensor for detecting when the strip is bent; whereby bending the strip corresponds to clicking a mouse button.
15. The mouse of claim 1, wherein the motion sensor includes a sensor chip that is movable between a stowed position and a deployed position.
16. A combination comprising  
a mouse including a collapsible housing; and  
a PCMCIA card for communicating with the mouse.

17. The combination of claim 16, further comprising a flat battery within the housing and a battery charger within one of the mouse and the PCMCIA card.

18. A housing for a computer mouse, the housing comprising:  
a base; and  
a collapsible upper portion secured to the base.

19. The housing of claim 18, wherein the base is rigid and the collapsible upper portion is made of an elastic material.

20. The housing of claim 18, wherein the base and upper portion include a resilient sheet plastic having fold lines that allow the housing to collapse into a relatively flat structure.